


# M440~460P60LM-SF-F7

120 Half-Cut Cells Monocrystalline PERC Module Silver Frame











Maximum efficiency



Yearly degradation



#### **Excellent Cell Efficiency**

Multi Bus Bar technology increases the efficiency of the modules



# Resistance to power degradation

Resistance to power degradation caused by Potential-Induced Degradation PID effect, thanks to strict quality control in the module production process and other subassemblies



#### **Better Weak Illumination Response**

Excellent performance in weak light conditions, such as haze, clouds and early morning



# Adapted to harsh outdoor environments

Resistant to harsh environments such as salt, ammonia, sand, high temperatures and high humidity environments



## **Highest production standards**

Guarantees of operational reliability and quality module production go far beyond requirements specified in certificates






IEC 61215: Design suitability and type approval IEC 61730: Safety qualification IEC 61701: Salt mist corrosion testing IEC 62716: Ammonia corrosion testing IEC 60068: Environmental testing: Dust and sand

With subsidiaries in more than 50 countries and business activities in over 150 countries, LEDVANCE is committed to supplying reliable and durable PV products to customers to create together a greener planet.

## Dimensions of PV module (mm)



ELECTRICAL CHARACTERISTIC   STC 1)					
Power Level	M440P60 LM-SF	M445P60 LM-SF	M450P60 LM-SF	M455P60 LM-SF	M460P60 LM-SF
Nominal power Watt P <sub>max</sub> (Wp)	440	445	450	455	460
$Maximum\ power\ voltage\ V_{mpp}\ (V)$	34.33	34.50	34.67	34.87	35.07
Maximum power current I <sub>mpp</sub> (A)	12.82	12.90	12.98	13.05	13.12
Open circut voltage V <sub>oc</sub> (V)	41.08	41.21	41.33	41.46	41.58
Short circut current I₅c (A)	13.71	13.79	13.87	13.94	14.01
Module efficiency η(%)	20.33	20.56	20.79	21.02	21.25


Measuring tolerance: ±3%

ELECTRICAL CHARACTERISTIC   NMOT 2)						
Power Level	440	445	450	455	460	
Maximum power P <sub>max</sub> (Wp)	333	336	340	344	348	
Maximum power voltage V <sub>mpp</sub> (V)	32.46	32.56	32.76	32.95	33.14	
Maximum power current I <sub>mpp</sub> (A)	10.26	10.32	10.38	10.44	10.50	
Open circuit voltage V₀c (V)	38.45	38.57	38.68	38.81	38.92	
Short circuit current I <sub>sc</sub> (A)	10.97	11.03	11.10	11.15	11.21	

35	Mounting Holes (10:1)	NOTE: Frame color and cable length can be customized.
A-A(10:1)		

#### **WORKING CONDITIONS** 1500 V DC Maximum system voltage Operating temperature Operating humidity 5~85% Maximum series fuse 5400 pa / 2400 pa Front/Rear side load


Current/Power-voltage curve of the module by different insolation



MECHANICAL DATA				
Solar cells	Mono PERC			
Number of cells	120 (6x20) pcs			
Size of cells	182 x 91 mm			
Module dimension	1909 x 1134 x 35 mm			
Frame color	SF – silver			
Weight	24.0±1 kg			
Glass	3.2 mm tempered glass, anti-reflective coating			
Type of frame	Anodized aluminum alloy			
Junction box	IP68, 3 diodes			
Cables	4 mm <sup>2</sup> , 300 mm (with connectors) or customized length			
Connectors	Staubli MC4-Evo2			

TEMPERATURE RATINGS	
NMOT	45±2 °C
Temperature coefficient of P <sub>max</sub>	-0.335% / °C
Temperature coefficient of V <sub>oc</sub>	-0.265% / °C
Temperature coefficient of I <sub>sc</sub>	0.045% / °C

Cι	ırrent-voltage	curve	of the	PV	module	by	temperature	Э
----	----------------	-------	--------	----	--------	----	-------------	---



l e e e e e e e e e e e e e e e e e e e			
Piece / Box 31			
1954 x 1130 x 1270 mm			
799 kg			
744			

#### FOOTNOTES:

STC (Standard Test Conditions): 1000W/m² solar irradiance, cell temperature 25°C, AM 1.5G
 NIMOT (nominal cell operating temperature): insolation 800W/m², ambient temperature 20°C, AM 1.5G, wind speed 1m/s

- Do not connect two or more strings of modules to one fuse.
   The electrical data in this product sheet does not refer to a single module and is not part of the offer,
- It is used to compare different types of modules only.

  Due to continuous technical innovation, development and product improvement, technical data contained in this product sheet is subject to change at any time without notice and may not be the basis for any damage claims.