


DECLARATION OF PERFORMANCE

No. EKO 28/08/2019

1. Unique identification code of the product-type:-
Engineered Hardwood Flooring
2. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:-
Engineered Hardwood Flooring, designed to be laid on floors and paneling by gluing to base flooring or can be installed in a floating system; and in the system of electrical and water floor heating solution. The surface is covered with Lacquer or oil finishing in compliance with the harmonized standard EN 14342:2013
3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):-
**Engineered Hardwood Flooring
Ekowood International Berhad ,
Lot 1-12, Jalan Industri 2/1, Kawasan Perindustrian Gopeng KM 15,
Jalan Gopeng, Perak Darul Ridzuan 31600, Malaysia**
4. Authorised representative:-
Not Applicable
5. System or systems of assessment and verification of constancy of performance of the construction product:-
System 4
6. In case of the declaration of performance concerning a construction product covered by harmonized standard :-
Kindly refer to item 8.
7. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued :-
Not Applicable
8. Declared Performance

Essential characteristics	Declared performance	Harmonized Standard
Reaction to Fire (EN 13501-1 :2007)	Dfl-s1	EN 14342:2013
Emission of Formaldehyde (DIN EN 717-1)	E1	EN 14342:2013
Pentachlorophenol Contained	NPD	EN 14342:2013
Slipperiness	NPD	EN 14342:2013
Thermal conductivity	0.13W/m K	EN 14342:2013
Emission of other dangerous substance	NPD	EN 14342:2013
Breaking strength	NPD	EN 14342:2013



Lot 1-12, Jalan Industri 2/1,
Kawasan Perindustrian Gopeng,
KM 15, Jalan Gopeng,
31600 Gopeng,
Perak Darul Ridzuan, Malaysia.

eKO WOOD®
EKOWOOD INTERNATIONAL BERHAD
Company No. 301735-D

Tel : (6) 05-357 2020
Fax : (6) 05-357 2000
E-mail : info@ekowood.com
Website : www.ekowood.com

Durability- without treatment by conservation substance	NPD	EN 14342:2013
Durability – with treatment by conservation substance	NPD	EN 14342:2013

9. The performance of the product identified above is in conformity with the set of declared performance in point 8. This declaration of performance is issued, in accordance with Regulation (EU) No.305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:-



A.Sashitharan

Quality Management Representative

Perak, Malaysia, 28/08/2019

Place, Date



Prohlášení o vlastnostech č. EKO 28/08/2019

1. Jedinečný identifikační kód typu výrobku:
Třívrstvá podlaha z tvrdého dřeva
2. Zamýšlené použití konstrukčního výrobku, ve spojení s příslušnou harmonizovanou technickou specifikací, jak předpokládáno výrobcem:
Třívrstvá podlaha navržena na pokládku lepením k základům podlahy nebo na plovoucí způsob a také ve spojení se systémem elektrického nebo vodního podlahového vytápění. Povrch je pokryt lakem nebo olejovou povrchovou úpravou v souladu s harmonizovaným standardem EN 14342:2013
3. Jméno, registrované obchodní jméno nebo registrovaná ochranná značka a kontaktní adresa výrobce dle požadavků článku 11(5):
Engineered Hardwood Flooring
Ekowood International Berhad,
Lot 1-12, Jalan Industri 2/1, Kawasan Perindustrian Gopeng KM 15,
Jalan Gopeng, Perak Darul Ridzuan 31600, Malaysia
4. Zplnomocněný zástupce:
N/A
5. Systém/systémy posouzení stálosti vlastností:
Použit systém 4
6. Pokud se Prohlášení o vlastnostech vztahuje na konstrukční výrobek je zahrnut v harmonizovaném standardu:
Odkazuje se na bod 8.
7. V případě že se Prohlášení o vlastnostech vztahuje na konstrukční výrobek, na který bylo vydáno Evropské technické posouzení:
N/A - neaplikováno
8. Deklarované vlastnosti

Základní vlastnosti	Získané hodnoty	Harmonizovaný standard
Reakce na oheň (EN 13501-1:2007)	Dfl-s1	EN 14342:2013
Emise formaldehydu (DIN EN 717-1)	E1	EN 14342:2013
Obsah pentachlorofenolu	NPD	EN 14342:2013
Skluznost	NPD	EN 14342:2013
Tepelná vodivost	0,13 W/m K	EN 14342:2013
Emise jiných nebezpečných látek	NPD	EN 14342:2013
Mez pevnosti	NPD	EN 14342:2013
Trvanlivost – bez ošetření konzervačním prostředkem	NPD	EN 14342:2013
Trvanlivost – s ošetřením konzervačním prostředkem	NPD	EN 14342:2013

9. Vlastnosti výrobku označeného výše jsou v souladu s deklarovanými vlastnostmi v bodě 8. Toto Prohlášení o vlastnostech je vystaveno, v souladu s nařízením (EU) č. 305/2011, na zodpovědnost výrobce označeného výše.

Překlad do českého jazyka provedl dovozce do EU: AU-MEX, s.r.o. Poděbradská 574/40, Praha 9 – Vysočany, 198 00

Šárka Hanzalová – jednatelka společnosti


Poděbradská 574/40, Praha 9 - Vysočany, 190 00
Tel.: 283 933 452. Fax: 283 963 406
DIČ: CZ25349929 IČO: 25349929