

Environmental Product Declaration

In accordance with ISO 14025 and EN 15804:2012+A2:2019 for:

Mapeplan T M (E), Mapeplan T M Broof t1, Mapeplan T M Broof t2-t3,
Mapeplan T B, Mapeplan T Af, Mapeplan T Af Broof t1,
Mapeplan T Af Broof t2 and Mapeplan T I
(FPO/TPO Waterproofing Membranes)

| | |
|---------------------------------|---|
| Programme: | The International EPD® System; www.environdec.com |
| Programme operator: | EPD International AB |
| EPD registration number: | S-P-00906 |
| Publication date: | 2016-06-28 |
| Revision date: | 2021-08-11 |
| Valid until: | 2026-08-10 |
| Geographical scope: | <i>International</i> |

Mapeplan® T

1. Company description / Goal & Scope

The Company's headquarter is located in Ponte di Piave, Treviso (Italy). Over 90.000 m² of surface, 25.000 m² covered, 4 production lines of polymer-bitumen membranes, one production line of thermal and acoustic insulation systems and two production lines of synthetic PVC-P and TPO/FPO membranes.

In October 2008 Polyglass was taken over by the MAPEI Group, an international Company in the chemical industry for construction, with 73 production plants in 5 continents, in 33 countries.

Polyglass SpA is ISO 14001 certified since 2010 and ISO 9001 since 1995.

The goal of the study is to provide necessary data and documentation to produce an EPD according to the requirements of PCR Environdec (version 1.11, 2021-02-05) under EN 15804:2012+A2:2019 and to have more comprehension about the environmental impacts related to Mapeplan T M (E), Mapeplan T M Broof t1, Mapeplan T M Broof t2-t3, Mapeplan T B, Mapeplan T Af, Mapeplan T Af Broof t1, Mapeplan T Af Broof t2 and Mapeplan T I manufactured in Polyglass SpA located in Ponte di Piave (TV-Italy), including packaging of the finished products.

Target audiences of the study are customers and other parties with an interest in the environmental impacts of **Mapeplan T M (E), Mapeplan T M Broof t1, Mapeplan T M Broof t2-t3, Mapeplan T B, Mapeplan T Af, Mapeplan T Af Broof t1, Mapeplan T Af Broof t2 and Mapeplan T I.**

This analysis shall not support comparative assertions intended to be disclosed to the public.



FIGURE 1: POLYGLASS S.P.A. HEAD QUARTER



FIGURE 2: PRODUCTION EQUIPMENT

2. Product description

Mapeplan T M (E), Mapeplan T M Broof t1, Mapeplan T M Broof t2-t3 are synthetic roofing waterproofing membranes in flexible polyolefin FPO/TPO produced in one multi-extrusion coating process, with high quality raw materials, reinforced with polyester net.

Mapeplan T B, Mapeplan T I are synthetic roofing waterproofing membranes in flexible polyolefin TPO/FPO produced in one multi-extrusion coating process, with high quality raw materials, reinforced with glass mat.

Mapeplan T Af, Mapeplan T Af Broof t1, Mapeplan T Af Broof t2 are synthetic roofing waterproofing membranes in flexible polyolefin FPO/TPO produced in one multi-extrusion coating process, with high quality raw materials, reinforced with glass mat and have also a fleece backed with a woven-non-woven polyester. Both membranes use an adhesive (PUR based) for their installation.

Both Mapeplan are compliant with EN 13956 (“Flexible sheets for waterproofing – Plastic and rubber sheets for roof waterproofing – Definitions and characteristics”), and are sold with different packaging, as follow:

- Pallet: 14 rolls per pallet
- Length of rolls: 25 m, 20 m and 15 m (according to the thickness)
- Width of rolls: 2,10 m, 1,60 m and 1,05 m



FIGURE 3: MEMBRANE MAPEPLAN T Af ON FULLY EXPOSED ROOF

3. Content declaration

The main components and ancillary materials of Mapeplan T polymeric waterproofing membranes are the following:

TABLE 1: COMPOSITION

| Materials | Percentage (%) |
|----------------------|----------------|
| FPO/TPO compound | 50 – 95 |
| Pigments | 0 – 5 |
| Reinforcing material | 5 – 15 |
| Other additives | 0 – 1 |

The products contain in a concentration higher than 0,1% (by unit weight) neither carcinogenic substances nor substances of very high concern (SVHC) on the REACH Candidate List published by the European Chemicals Agency.

4. Declared Unit and Reference Service Life:

The declared unit is 1m² of packaged finished product having:

- 1,50 mm thickness for Mapeplan T M (E), Mapeplan T M Broof t1, Mapeplan T B, Mapeplan T Af, Mapeplan T Af t1, Mapeplan T I.
- 1,80 mm for Mapeplan T Af Broof t2
- 2,00 mm for Mapeplan T M Broof t2-t3

Packaging materials include:

- Wooden pallet
- Cardboard
- LDPE used as wrapping material

The reference service life of the roofing membrane, according to Polyglass experience, is estimated at least 30 years, if professionally installed and properly used.

5. System Boundaries & additional technical information:

The approach is a “cradle to gate” with options, modules A1-A3 + A4-A5 + C + D;

The following modules have been considered:

- A1 – A3 (Product stage): extraction and transport of raw materials, packaging included, production process
- A4 – A5 (Construction process stage): transport of the finished product to final customers and installation into the building
- C1 – C4 (End of life stage): with a collection rate of 100% as C&D waste, the transports are carried out by lorry (EURO 4) over 100 km (C2). In this EPD it is used a conservative approach by considering the 100% of waste to be disposed in landfill (Italian scenario).
- D (Resource recovery stage): due to the absence of specific membrane recycling (module C3), this module is considered zero.

TABLE 2: SYSTEM BOUNDARIES

| | Product stage | | | Construction process stage | | Use stage | | | | | | | End of life stage | | | | Resource recovery stage |
|----------------------|---------------------|-----------|---------------|----------------------------|---------------------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|----------------------------|-----------|------------------|----------|------------------------------------|
| | Raw material supply | Transport | Manufacturing | Transport | Construction installation | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy use | Operational water use | De-construction demolition | Transport | Waste processing | Disposal | Reuse-Recovery-Recycling-potential |
| Module | A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | B6 | B7 | C1 | C2 | C3 | C4 | D |
| Modules declared | X | X | X | X | X | MND | MND | MND | MND | MND | MND | MND | X | X | X | X | X |
| Geography | EU, IT | EU, IT | IT | EU | EU | - | - | - | - | - | - | - | EU, IT | IT | IT | IT | IT |
| Specific data | > 90% | | | | | - | - | - | - | - | - | - | - | - | - | - | - |
| Variation – products | Not-relevant | | | | | - | - | - | - | - | - | - | - | - | - | - | - |
| Variation – sites | Not-relevant | | | | | - | - | - | - | - | - | - | - | - | - | - | - |

A brief description of production process is the following:




FIGURE 4: PRODUCTION PROCESS DETAIL

The production process of FPO/TPO roofing membranes is a multi-extrusion coating process. The production plant produces roofing membranes with an internal reinforcing material made of glass mat or polyester net, also a fleece backed with a woven-non-woven polyester.

FPO/TPO granulate is stored in silos and sent to multi-extrusion plant.

The hot melt compound comes out from the extruders where the reinforced material is combined and totally encapsulated.

The membrane is cooled and finally sent to the packaging area, ready to ship.

TABLE 3: TRANSPORT TO THE BUILDING SITE (A4)

| Scenario information | Value | Unit |
|--|--------|-------------------|
| Means of transport: truck euro 4 with 27 tons of payload & ship with a 27500 DWT | | |
| Litres of fuel (diesel for truck) | 0,002 | l/100km |
| Litres for fuel (HFO for ship) | 0,0004 | l/100km |
| Transport distance | 1800 | km |
| Capacity utilisation (including empty runs) | 85 | % |
| Gross density of products transported | ~ 1200 | kg/m ³ |
| Capacity utilisation volume factor | 100 | % |

TABLE 4: INSTALLATION INTO THE BUILDING (A5)

| Scenario information | Value | Unit |
|---|--|--------------------|
| Ancillary materials for installation | - | kg |
| Water use | - | m ³ |
| Other resources use | - | kg |
| Energy type and consumption | 0,019, European Grid Mix | kWh/m ² |
| Output materials as result of waste processing at the building site | ~ 0,06 | kg |
| Overlaps (membrane) | 5,5 | % |
| Waste materials on building site before waste processing | 0,0507 (Wood) 0,0549 (Cardboard) 0,0031 (Plastics) | kg |
| Direct emission to ambient (air, soil and water) | - | kg |

TABLE 5: END OF LIFE (C1-C4)

| Scenario information | Value | Unit |
|--|-------|------|
| Collected separately | - | kg |
| Collected with mixed construction waste | ~ 2 | kg |
| Reuse/Recycling/Energy recovery | - | kg |
| Transport to recycling /disposal facility | 100 | km |
| Products or materials for final deposition | ~ 2 | kg |

6. Cut-off rules & allocation

Criteria for the exclusion of inputs and outputs (cut-off rules) in the LCA, information modules and any additional information are intended to support an efficient calculation procedure. They are not applied in order to hide data.

The following procedure is followed for the exclusion of inputs and outputs:

- All inputs and outputs to a unit process are included in the calculation, for which data are available.
- Less than 1% of the total mass inputs/outputs of the unit process A3, are cut off (see Table 6).

Input flows are covered for the whole formula.

TABLE 6: CUT-OFF CRITERIA

| Process excluded from study | Cut-off criteria | Quantified contribution from process |
|--|--|--|
| A3: production (auxiliary materials) | Less than 10 ⁻⁵ kg/kg of finished product | Sensitivity study demonstrates a relative contribution lower than 0,5% |
| A3: production (particle emissions to air) | Less than 10 ⁻⁵ kg/kg of finished product | Sensitivity study demonstrates a relative contribution lower than 0,5% |

For the allocation procedure and principles, consider the following table (Table 7).

TABLE 7: ALLOCATION PROCEDURE AND PRINCIPLES

| Module | Allocation Principle |
|--------|--|
| A1 | All data are referred to 1m ² of product <ul style="list-style-type: none"> • A1: electricity is allocated to the reference line production |
| A3 | All data are referred to 1m ² of packaged product. <ul style="list-style-type: none"> • A3-wastes: the data are allocated to the whole plant production and to the reference production line |

7. Environmental performance & interpretation

The following tables show the environmental impacts for the products considered according to the requirements of EN15804:2012+A2:2019.

The results are referred to the declared unit (see § 4). The additional environmental indicators are not declared.

TABLE 8: MAPEPLAN T M (E) – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 3,47E+00 | 1,12E-01 | 2,03E-01 | 0,00E+00 | 1,77E-02 | 0,00E+00 | 2,18E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 3,49E+00 | 1,11E-01 | 1,49E-02 | 0,00E+00 | 1,76E-02 | 0,00E+00 | 2,23E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -2,14E-02 | -1,15E-04 | 1,88E-01 | 0,00E+00 | -2,11E-05 | 0,00E+00 | -6,49E-04 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 1,98E-03 | 8,30E-04 | 1,61E-05 | 0,00E+00 | 1,45E-04 | 0,00E+00 | 6,56E-05 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 8,89E-08 | 1,41E-17 | 1,80E-16 | 0,00E+00 | 3,50E-18 | 0,00E+00 | 8,68E-17 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,14E-02 | 9,91E-04 | 5,67E-05 | 0,00E+00 | 9,61E-05 | 0,00E+00 | 1,59E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,78E-04 | 3,03E-07 | 6,58E-07 | 0,00E+00 | 5,27E-08 | 0,00E+00 | 3,75E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 5,46E-04 | 9,31E-07 | 2,02E-06 | 0,00E+00 | 1,62E-07 | 0,00E+00 | 1,15E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,16E-03 | 3,87E-04 | 2,46E-05 | 0,00E+00 | 4,66E-05 | 0,00E+00 | 4,13E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,30E-02 | 4,27E-03 | 1,94E-04 | 0,00E+00 | 5,16E-04 | 0,00E+00 | 4,54E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,09E-02 | 8,38E-04 | 1,06E-04 | 0,00E+00 | 9,04E-05 | 0,00E+00 | 1,25E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 8,66E-06 | 8,04E-09 | 2,52E-09 | 0,00E+00 | 1,57E-09 | 0,00E+00 | 2,11E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 9,93E+01 | 1,48E+00 | 2,34E-01 | 0,00E+00 | 2,36E-01 | 0,00E+00 | 2,96E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 1,12E+00 | 8,96E-04 | 1,76E-03 | 0,00E+00 | 1,65E-04 | 0,00E+00 | 2,40E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 9: MAPEPLAN T M (E) – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|--|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 3,33E+00 | 1,10E-01 | 1,22E-01 | 0,00E+00 | 1,74E-02 | 0,00E+00 | 2,20E-02 | 0,00E+00 |
| <p>GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.</p> | | | | | | | | | |

TABLE 10: MAPEPLAN T M (E) – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|---|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 1,98E+00 | 7,57E-02 | 6,36E-02 | 0,00E+00 | 1,36E-02 | 0,00E+00 | 3,99E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 3,88E+00 | 7,57E-02 | 6,36E-02 | 0,00E+00 | 1,36E-02 | 0,00E+00 | 3,99E-02 | 0,00E+00 |
| PENRE | MJ | 9,92E+01 | 1,48E+00 | 2,34E-01 | 0,00E+00 | 2,37E-01 | 0,00E+00 | 2,96E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 9,93E+01 | 1,48E+00 | 2,34E-01 | 0,00E+00 | 2,37E-01 | 0,00E+00 | 2,96E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 2,69E-02 | 8,69E-05 | 7,29E-05 | 0,00E+00 | 1,56E-05 | 0,00E+00 | 7,31E-05 | 0,00E+00 |
| <p>PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM: Use of renewable primary energy resources used as raw materials; PERT: Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); PENRE: Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM: Use of non-renewable primary energy resources used as raw materials; PENRT: Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); SM: Use of secondary material; RSF: Use of renewable secondary fuels; NRSF: Use of non-renewable secondary fuels; FW: Net use of fresh water.</p> | | | | | | | | | |

TABLE 11: MAPEPLAN T M (E) – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 2,00E-03 | 6,91E-11 | 5,22E-11 | 0,00E+00 | 1,25E-11 | 0,00E+00 | 3,15E-11 | 0,00E+00 |
| NHWD | kg | 1,09E-02 | 2,14E-04 | 7,43E-02 | 0,00E+00 | 3,72E-05 | 0,00E+00 | 1,48E+00 | 0,00E+00 |
| RWD | kg | 4,10E-04 | 1,78E-06 | 1,92E-05 | 0,00E+00 | 4,30E-07 | 0,00E+00 | 3,11E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 1,22E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 12: MAPEPLAN T M (E) – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 13: MAPEPLAN T M BROOF T1 – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 3,84E+00 | 1,30E-01 | 2,04E-01 | 0,00E+00 | 2,09E-02 | 0,00E+00 | 2,56E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 3,86E+00 | 1,30E-01 | 1,61E-02 | 0,00E+00 | 2,07E-02 | 0,00E+00 | 2,63E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,93E-02 | -1,34E-04 | 1,88E-01 | 0,00E+00 | -2,49E-05 | 0,00E+00 | -7,65E-04 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,09E-03 | 9,68E-04 | 1,78E-05 | 0,00E+00 | 1,71E-04 | 0,00E+00 | 7,73E-05 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 9,77E-08 | 1,64E-17 | 2,09E-16 | 0,00E+00 | 4,13E-18 | 0,00E+00 | 1,02E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,19E-02 | 1,16E-03 | 5,92E-05 | 0,00E+00 | 1,13E-04 | 0,00E+00 | 1,88E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,57E-04 | 3,54E-07 | 6,61E-07 | 0,00E+00 | 6,21E-08 | 0,00E+00 | 4,42E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 4,83E-04 | 1,09E-06 | 2,03E-06 | 0,00E+00 | 1,91E-07 | 0,00E+00 | 1,36E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,29E-03 | 4,51E-04 | 2,52E-05 | 0,00E+00 | 5,49E-05 | 0,00E+00 | 4,87E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,44E-02 | 4,98E-03 | 2,00E-04 | 0,00E+00 | 6,08E-04 | 0,00E+00 | 5,35E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,14E-02 | 9,78E-04 | 1,08E-04 | 0,00E+00 | 1,07E-04 | 0,00E+00 | 1,47E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 7,22E-06 | 9,38E-09 | 2,88E-09 | 0,00E+00 | 1,85E-09 | 0,00E+00 | 2,48E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,01E+02 | 1,73E+00 | 2,55E-01 | 0,00E+00 | 2,78E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 1,12E+00 | 1,05E-03 | 1,95E-03 | 0,00E+00 | 1,94E-04 | 0,00E+00 | 2,83E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 14: MAPEPLAN T M BROOF T1 – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 3,68E+00 | 1,28E-01 | 1,24E-01 | 0,00E+00 | 2,05E-02 | 0,00E+00 | 2,59E-02 | 0,00E+00 |

GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

TABLE 15: MAPEPLAN T M BROOF T1 – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 2,32E+00 | 8,83E-02 | 7,35E-02 | 0,00E+00 | 1,60E-02 | 0,00E+00 | 4,70E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 4,22E+00 | 8,83E-02 | 7,35E-02 | 0,00E+00 | 1,60E-02 | 0,00E+00 | 4,70E-02 | 0,00E+00 |
| PENRE | MJ | 1,01E+02 | 1,73E+00 | 2,55E-01 | 0,00E+00 | 2,79E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,01E+02 | 1,73E+00 | 2,55E-01 | 0,00E+00 | 2,79E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 2,70E-02 | 1,01E-04 | 8,26E-05 | 0,00E+00 | 1,84E-05 | 0,00E+00 | 8,62E-05 | 0,00E+00 |

PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM:** Use of renewable primary energy resources used as raw materials; **PERT:** Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); **PENRE:** Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM:** Use of non-renewable primary energy resources used as raw materials; **PENRT:** Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); **SM:** Use of secondary material; **RSF:** Use of renewable secondary fuels; **NRSF:** Use of non-renewable secondary fuels; **FW:** Net use of fresh water.

TABLE 16: MAPEPLAN T M BROOF T1 – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 2,39E-03 | 8,06E-11 | 5,78E-11 | 0,00E+00 | 1,47E-11 | 0,00E+00 | 3,71E-11 | 0,00E+00 |
| NHWD | kg | 1,28E-02 | 2,50E-04 | 7,43E-02 | 0,00E+00 | 4,38E-05 | 0,00E+00 | 1,74E+00 | 0,00E+00 |
| RWD | kg | 5,04E-04 | 2,08E-06 | 2,24E-05 | 0,00E+00 | 5,07E-07 | 0,00E+00 | 3,67E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 1,44E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 17: MAPEPLAN T M BROOF T1 – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 18: MAPEPLAN T M BROOF T2 – T3 – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 4,82E+00 | 1,71E-01 | 2,04E-01 | 0,00E+00 | 2,78E-02 | 0,00E+00 | 3,42E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 4,83E+00 | 1,70E-01 | 1,61E-02 | 0,00E+00 | 2,76E-02 | 0,00E+00 | 3,51E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,49E-02 | -1,76E-04 | 1,88E-01 | 0,00E+00 | -3,32E-05 | 0,00E+00 | -1,02E-03 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,38E-03 | 1,27E-03 | 1,77E-05 | 0,00E+00 | 2,28E-04 | 0,00E+00 | 1,03E-04 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 1,26E-07 | 2,16E-17 | 2,09E-16 | 0,00E+00 | 5,50E-18 | 0,00E+00 | 1,36E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,41E-02 | 1,52E-03 | 5,92E-05 | 0,00E+00 | 1,51E-04 | 0,00E+00 | 2,50E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,79E-04 | 4,65E-07 | 6,60E-07 | 0,00E+00 | 8,28E-08 | 0,00E+00 | 5,89E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 5,50E-04 | 1,43E-06 | 2,03E-06 | 0,00E+00 | 2,54E-07 | 0,00E+00 | 1,81E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,73E-03 | 5,93E-04 | 2,52E-05 | 0,00E+00 | 7,32E-05 | 0,00E+00 | 6,49E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,92E-02 | 6,54E-03 | 2,00E-04 | 0,00E+00 | 8,11E-04 | 0,00E+00 | 7,13E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,36E-02 | 1,28E-03 | 1,08E-04 | 0,00E+00 | 1,42E-04 | 0,00E+00 | 1,97E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 8,34E-06 | 1,23E-08 | 2,87E-09 | 0,00E+00 | 2,47E-09 | 0,00E+00 | 3,31E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,20E+02 | 2,27E+00 | 2,54E-01 | 0,00E+00 | 3,71E-01 | 0,00E+00 | 4,66E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 1,31E+00 | 1,37E-03 | 1,95E-03 | 0,00E+00 | 2,59E-04 | 0,00E+00 | 3,77E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 19: MAPEPLAN T M BROOF T2 – T3 – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|--|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 4,63E+00 | 1,68E-01 | 1,24E-01 | 0,00E+00 | 2,73E-02 | 0,00E+00 | 3,46E-02 | 0,00E+00 |
| <p>GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.</p> | | | | | | | | | |

TABLE 20: MAPEPLAN T M BROOF T2 – T3 – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|---|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 3,13E+00 | 1,16E-01 | 7,33E-02 | 0,00E+00 | 2,14E-02 | 0,00E+00 | 6,27E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 5,02E+00 | 1,16E-01 | 7,33E-02 | 0,00E+00 | 2,14E-02 | 0,00E+00 | 6,27E-02 | 0,00E+00 |
| PENRE | MJ | 1,20E+02 | 2,27E+00 | 2,55E-01 | 0,00E+00 | 3,73E-01 | 0,00E+00 | 4,66E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,20E+02 | 2,27E+00 | 2,55E-01 | 0,00E+00 | 3,73E-01 | 0,00E+00 | 4,66E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 3,17E-02 | 1,33E-04 | 8,24E-05 | 0,00E+00 | 2,45E-05 | 0,00E+00 | 1,15E-04 | 0,00E+00 |
| <p>PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM: Use of renewable primary energy resources used as raw materials; PERT: Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); PENRE: Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM: Use of non-renewable primary energy resources used as raw materials; PENRT: Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); SM: Use of secondary material; RSF: Use of renewable secondary fuels; NRSF: Use of non-renewable secondary fuels; FW: Net use of fresh water.</p> | | | | | | | | | |

TABLE 21: MAPEPLAN T M BROOF T2 – T3 – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 3,16E-03 | 1,06E-10 | 5,77E-11 | 0,00E+00 | 1,96E-11 | 0,00E+00 | 4,95E-11 | 0,00E+00 |
| NHWD | kg | 1,54E-02 | 3,28E-04 | 7,43E-02 | 0,00E+00 | 5,85E-05 | 0,00E+00 | 2,32E+00 | 0,00E+00 |
| RWD | kg | 6,37E-04 | 2,73E-06 | 2,23E-05 | 0,00E+00 | 6,76E-07 | 0,00E+00 | 4,89E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 1,92E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 22: MAPEPLAN T M BROOF T2 – T3 – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 23: MAPEPLAN T B – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 3,68E+00 | 1,19E-01 | 2,04E-01 | 0,00E+00 | 1,90E-02 | 0,00E+00 | 2,33E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 3,69E+00 | 1,19E-01 | 1,62E-02 | 0,00E+00 | 1,88E-02 | 0,00E+00 | 2,39E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,62E-02 | -1,23E-04 | 1,88E-01 | 0,00E+00 | -2,26E-05 | 0,00E+00 | -6,95E-04 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,10E-03 | 8,85E-04 | 1,78E-05 | 0,00E+00 | 1,55E-04 | 0,00E+00 | 7,03E-05 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 9,53E-08 | 1,50E-17 | 2,10E-16 | 0,00E+00 | 3,75E-18 | 0,00E+00 | 9,30E-17 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,27E-02 | 1,06E-03 | 5,93E-05 | 0,00E+00 | 1,03E-04 | 0,00E+00 | 1,70E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,92E-04 | 3,23E-07 | 6,62E-07 | 0,00E+00 | 5,65E-08 | 0,00E+00 | 4,02E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 5,89E-04 | 9,93E-07 | 2,03E-06 | 0,00E+00 | 1,73E-07 | 0,00E+00 | 1,23E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,34E-03 | 4,12E-04 | 2,53E-05 | 0,00E+00 | 4,99E-05 | 0,00E+00 | 4,43E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,49E-02 | 4,55E-03 | 2,01E-04 | 0,00E+00 | 5,53E-04 | 0,00E+00 | 4,86E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,16E-02 | 8,94E-04 | 1,08E-04 | 0,00E+00 | 9,69E-05 | 0,00E+00 | 1,34E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 9,46E-06 | 8,58E-09 | 2,89E-09 | 0,00E+00 | 1,68E-09 | 0,00E+00 | 2,26E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,04E+02 | 1,58E+00 | 2,56E-01 | 0,00E+00 | 2,53E-01 | 0,00E+00 | 3,18E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 1,19E+00 | 9,56E-04 | 1,96E-03 | 0,00E+00 | 1,76E-04 | 0,00E+00 | 2,57E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 24: MAPEPLAN T B – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 3,51E+00 | 1,17E-01 | 1,24E-01 | 0,00E+00 | 1,86E-02 | 0,00E+00 | 2,36E-02 | 0,00E+00 |

GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

TABLE 25: MAPEPLAN T B – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 2,24E+00 | 8,08E-02 | 7,37E-02 | 0,00E+00 | 1,46E-02 | 0,00E+00 | 4,28E-02 | 0,00E+00 |
| PERM | MJ | 1,90E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 4,13E+00 | 8,08E-02 | 7,37E-02 | 0,00E+00 | 1,46E-02 | 0,00E+00 | 4,28E-02 | 0,00E+00 |
| PENRE | MJ | 1,04E+02 | 1,58E+00 | 2,56E-01 | 0,00E+00 | 2,54E-01 | 0,00E+00 | 3,18E-01 | 0,00E+00 |
| PENRM | MJ | 1,42E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,04E+02 | 1,58E+00 | 2,56E-01 | 0,00E+00 | 2,54E-01 | 0,00E+00 | 3,18E-01 | 0,00E+00 |
| SM | Kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 2,84E-02 | 9,27E-05 | 8,28E-05 | 0,00E+00 | 1,67E-05 | 0,00E+00 | 7,84E-05 | 0,00E+00 |

PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM:** Use of renewable primary energy resources used as raw materials; **PERT:** Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); **PENRE:** Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM:** Use of non-renewable primary energy resources used as raw materials; **PENRT:** Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); **SM:** Use of secondary material; **RSF:** Use of renewable secondary fuels; **NRSF:** Use of non-renewable secondary fuels; **FW:** Net use of fresh water.

TABLE 26: MAPEPLAN T B – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | Kg | 2,14E-03 | 7,37E-11 | 5,80E-11 | 0,00E+00 | 1,34E-11 | 0,00E+00 | 3,37E-11 | 0,00E+00 |
| NHWD | Kg | 1,66E-02 | 2,28E-04 | 7,44E-02 | 0,00E+00 | 3,99E-05 | 0,00E+00 | 1,58E+00 | 0,00E+00 |
| RWD | Kg | 3,87E-04 | 1,90E-06 | 2,25E-05 | 0,00E+00 | 4,61E-07 | 0,00E+00 | 3,34E-06 | 0,00E+00 |
| Components for re-use | Kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | Kg | 1,31E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | Kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 27: MAPEPLAN T B – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 28: MAPEPLAN T Af – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 5,79E+00 | 1,27E-01 | 2,05E-01 | 0,00E+00 | 2,40E-02 | 0,00E+00 | 2,94E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 5,80E+00 | 1,26E-01 | 1,67E-02 | 0,00E+00 | 2,38E-02 | 0,00E+00 | 3,02E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,29E-02 | -1,30E-04 | 1,88E-01 | 0,00E+00 | -2,86E-05 | 0,00E+00 | -8,78E-04 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,33E-03 | 9,40E-04 | 1,79E-05 | 0,00E+00 | 1,96E-04 | 0,00E+00 | 8,88E-05 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 1,05E-07 | 1,59E-17 | 1,88E-16 | 0,00E+00 | 4,74E-18 | 0,00E+00 | 1,17E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,74E-02 | 1,12E-03 | 6,23E-05 | 0,00E+00 | 1,30E-04 | 0,00E+00 | 2,15E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,86E-04 | 3,44E-07 | 6,60E-07 | 0,00E+00 | 7,13E-08 | 0,00E+00 | 5,07E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 5,71E-04 | 1,05E-06 | 2,03E-06 | 0,00E+00 | 2,19E-07 | 0,00E+00 | 1,56E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,52E-03 | 4,38E-04 | 2,60E-05 | 0,00E+00 | 6,30E-05 | 0,00E+00 | 5,59E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,69E-02 | 4,84E-03 | 2,09E-04 | 0,00E+00 | 6,98E-04 | 0,00E+00 | 6,14E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,38E-02 | 9,50E-04 | 1,10E-04 | 0,00E+00 | 1,22E-04 | 0,00E+00 | 1,69E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 1,52E-05 | 9,11E-09 | 2,68E-09 | 0,00E+00 | 2,13E-09 | 0,00E+00 | 2,85E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,51E+02 | 1,68E+00 | 2,60E-01 | 0,00E+00 | 3,20E-01 | 0,00E+00 | 4,01E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 5,64E+01 | 1,02E-03 | 1,77E-03 | 0,00E+00 | 2,23E-04 | 0,00E+00 | 3,24E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 29: MAPEPLAN T Af – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|--|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 5,62E+00 | 1,24E-01 | 1,24E-01 | 0,00E+00 | 2,35E-02 | 0,00E+00 | 2,98E-02 | 0,00E+00 |
| <p>GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.</p> | | | | | | | | | |

TABLE 30: MAPEPLAN T Af – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|---|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 4,73E+00 | 8,58E-02 | 6,66E-02 | 0,00E+00 | 1,84E-02 | 0,00E+00 | 5,40E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 6,63E+00 | 8,58E-02 | 6,66E-02 | 0,00E+00 | 1,84E-02 | 0,00E+00 | 5,40E-02 | 0,00E+00 |
| PENRE | MJ | 1,51E+02 | 1,68E+00 | 2,60E-01 | 0,00E+00 | 3,21E-01 | 0,00E+00 | 4,01E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,51E+02 | 1,68E+00 | 2,60E-01 | 0,00E+00 | 3,21E-01 | 0,00E+00 | 4,01E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 1,31E+00 | 9,84E-05 | 7,45E-05 | 0,00E+00 | 2,11E-05 | 0,00E+00 | 9,90E-05 | 0,00E+00 |
| <p>PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM: Use of renewable primary energy resources used as raw materials; PERT: Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); PENRE: Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM: Use of non-renewable primary energy resources used as raw materials; PENRT: Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); SM: Use of secondary material; RSF: Use of renewable secondary fuels; NRSF: Use of non-renewable secondary fuels; FW: Net use of fresh water.</p> | | | | | | | | | |

TABLE 31: MAPEPLAN T Af – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | Kg | 2,27E-03 | 7,83E-11 | 5,72E-11 | 0,00E+00 | 1,69E-11 | 0,00E+00 | 4,26E-11 | 0,00E+00 |
| NHWD | Kg | 2,78E-02 | 2,42E-04 | 1,08E-01 | 0,00E+00 | 5,03E-05 | 0,00E+00 | 2,00E+00 | 0,00E+00 |
| RWD | Kg | 6,53E-04 | 2,02E-06 | 1,99E-05 | 0,00E+00 | 5,82E-07 | 0,00E+00 | 4,21E-06 | 0,00E+00 |
| Components for re-use | Kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | Kg | 1,40E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | Kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; NHWD: Non-Hazardous waste disposed; RWD: Radioactive waste disposed

TABLE 32: MAPEPLAN T Af – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 33: MAPEPLAN T Af BROOF T1 – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 6,41E+00 | 1,45E-01 | 2,06E-01 | 0,00E+00 | 2,77E-02 | 0,00E+00 | 3,40E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 6,42E+00 | 1,44E-01 | 1,81E-02 | 0,00E+00 | 2,75E-02 | 0,00E+00 | 3,49E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,05E-02 | -1,50E-04 | 1,88E-01 | 0,00E+00 | -3,31E-05 | 0,00E+00 | -1,02E-03 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,46E-03 | 1,08E-03 | 1,97E-05 | 0,00E+00 | 2,27E-04 | 0,00E+00 | 1,03E-04 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 1,15E-07 | 1,83E-17 | 2,15E-16 | 0,00E+00 | 5,48E-18 | 0,00E+00 | 1,36E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,85E-02 | 1,29E-03 | 6,53E-05 | 0,00E+00 | 1,50E-04 | 0,00E+00 | 2,49E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,64E-04 | 3,94E-07 | 6,63E-07 | 0,00E+00 | 8,24E-08 | 0,00E+00 | 5,87E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 5,02E-04 | 1,21E-06 | 2,03E-06 | 0,00E+00 | 2,53E-07 | 0,00E+00 | 1,80E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,64E-03 | 5,02E-04 | 2,67E-05 | 0,00E+00 | 7,29E-05 | 0,00E+00 | 6,46E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,83E-02 | 5,55E-03 | 2,17E-04 | 0,00E+00 | 8,08E-04 | 0,00E+00 | 7,10E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,46E-02 | 1,09E-03 | 1,12E-04 | 0,00E+00 | 1,41E-04 | 0,00E+00 | 1,96E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 1,46E-05 | 1,04E-08 | 3,02E-09 | 0,00E+00 | 2,46E-09 | 0,00E+00 | 3,30E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,58E+02 | 1,92E+00 | 2,83E-01 | 0,00E+00 | 3,70E-01 | 0,00E+00 | 4,64E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 6,50E+01 | 1,16E-03 | 1,94E-03 | 0,00E+00 | 2,58E-04 | 0,00E+00 | 3,75E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 34: MAPEPLAN T Af BROOF T1 – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 6,22E+00 | 1,43E-01 | 1,25E-01 | 0,00E+00 | 2,72E-02 | 0,00E+00 | 3,44E-02 | 0,00E+00 |

GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

TABLE 35: MAPEPLAN T AF BROOF T1 – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 5,37E+00 | 9,84E-02 | 7,57E-02 | 0,00E+00 | 2,13E-02 | 0,00E+00 | 6,25E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 7,27E+00 | 9,84E-02 | 7,57E-02 | 0,00E+00 | 2,13E-02 | 0,00E+00 | 6,25E-02 | 0,00E+00 |
| PENRE | MJ | 1,58E+02 | 1,93E+00 | 2,83E-01 | 0,00E+00 | 3,71E-01 | 0,00E+00 | 4,64E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,58E+02 | 1,93E+00 | 2,83E-01 | 0,00E+00 | 3,71E-01 | 0,00E+00 | 4,64E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 1,51E+00 | 1,13E-04 | 8,31E-05 | 0,00E+00 | 2,44E-05 | 0,00E+00 | 1,14E-04 | 0,00E+00 |

PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM:** Use of renewable primary energy resources used as raw materials; **PERT:** Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); **PENRE:** Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM:** Use of non-renewable primary energy resources used as raw materials; **PENRT:** Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); **SM:** Use of secondary material; **RSF:** Use of renewable secondary fuels; **NRSF:** Use of non-renewable secondary fuels; **FW:** Net use of fresh water.

TABLE 36: MAPEPLAN T AF BROOF T1 – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 2,66E-03 | 8,98E-11 | 6,29E-11 | 0,00E+00 | 1,95E-11 | 0,00E+00 | 4,93E-11 | 0,00E+00 |
| NHWD | kg | 3,02E-02 | 2,78E-04 | 1,13E-01 | 0,00E+00 | 5,82E-05 | 0,00E+00 | 2,31E+00 | 0,00E+00 |
| RWD | kg | 7,60E-04 | 2,31E-06 | 2,28E-05 | 0,00E+00 | 6,73E-07 | 0,00E+00 | 4,87E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 1,61E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 37: MAPEPLAN T Af BROOF T1 – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 38: MAPEPLAN T Af BROOF T2 – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 7,31E+00 | 1,70E-01 | 2,09E-01 | 0,00E+00 | 3,27E-02 | 0,00E+00 | 4,02E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 7,32E+00 | 1,68E-01 | 2,07E-02 | 0,00E+00 | 3,25E-02 | 0,00E+00 | 4,13E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -5,19E-03 | -1,74E-04 | 1,88E-01 | 0,00E+00 | -3,90E-05 | 0,00E+00 | -1,20E-03 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,65E-03 | 1,26E-03 | 2,33E-05 | 0,00E+00 | 2,68E-04 | 0,00E+00 | 1,21E-04 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 1,47E-07 | 2,13E-17 | 2,72E-16 | 0,00E+00 | 6,47E-18 | 0,00E+00 | 1,60E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 2,23E-02 | 1,50E-03 | 7,10E-05 | 0,00E+00 | 1,78E-04 | 0,00E+00 | 2,94E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 2,02E-04 | 4,60E-07 | 6,38E-07 | 0,00E+00 | 9,73E-08 | 0,00E+00 | 6,93E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 6,20E-04 | 1,41E-06 | 1,96E-06 | 0,00E+00 | 2,99E-07 | 0,00E+00 | 2,13E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 3,06E-03 | 5,86E-04 | 2,81E-05 | 0,00E+00 | 8,60E-05 | 0,00E+00 | 7,63E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 3,27E-02 | 6,47E-03 | 2,31E-04 | 0,00E+00 | 9,53E-04 | 0,00E+00 | 8,38E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,68E-02 | 1,27E-03 | 1,16E-04 | 0,00E+00 | 1,67E-04 | 0,00E+00 | 2,31E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 1,80E-05 | 1,22E-08 | 3,73E-09 | 0,00E+00 | 2,90E-09 | 0,00E+00 | 3,89E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 1,80E+02 | 2,25E+00 | 3,29E-01 | 0,00E+00 | 4,36E-01 | 0,00E+00 | 5,47E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 7,78E+01 | 1,36E-03 | 2,32E-03 | 0,00E+00 | 3,04E-04 | 0,00E+00 | 4,43E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 39: MAPEPLAN T Af BROOF T2 – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|--|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 7,09E+00 | 1,67E-01 | 1,28E-01 | 0,00E+00 | 3,21E-02 | 0,00E+00 | 4,06E-02 | 0,00E+00 |
| <p>GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.</p> | | | | | | | | | |

TABLE 40: MAPEPLAN T Af BROOF T2 – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|---|----------------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 6,12E+00 | 1,15E-01 | 9,55E-02 | 0,00E+00 | 2,51E-02 | 0,00E+00 | 7,37E-02 | 0,00E+00 |
| PERM | MJ | 1,90E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 8,02E+00 | 1,15E-01 | 9,55E-02 | 0,00E+00 | 2,51E-02 | 0,00E+00 | 7,37E-02 | 0,00E+00 |
| PENRE | MJ | 1,80E+02 | 2,25E+00 | 3,29E-01 | 0,00E+00 | 4,38E-01 | 0,00E+00 | 5,48E-01 | 0,00E+00 |
| PENRM | MJ | 2,91E-02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 1,80E+02 | 2,25E+00 | 3,29E-01 | 0,00E+00 | 4,38E-01 | 0,00E+00 | 5,48E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 1,81E+00 | 1,32E-04 | 1,02E-04 | 0,00E+00 | 2,88E-05 | 0,00E+00 | 1,35E-04 | 0,00E+00 |
| <p>PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM: Use of renewable primary energy resources used as raw materials; PERT: Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); PENRE: Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM: Use of non-renewable primary energy resources used as raw materials; PENRT: Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); SM: Use of secondary material; RSF: Use of renewable secondary fuels; NRSF: Use of non-renewable secondary fuels; FW: Net use of fresh water.</p> | | | | | | | | | |

TABLE 41: MAPEPLAN T Af BROOF T2 – WASTE PRODUCTION AND OUTPUT FLOWS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 3,45E-03 | 1,05E-10 | 7,46E-11 | 0,00E+00 | 2,31E-11 | 0,00E+00 | 5,81E-11 | 0,00E+00 |
| NHWD | kg | 2,51E-02 | 3,24E-04 | 1,19E-01 | 0,00E+00 | 6,87E-05 | 0,00E+00 | 2,73E+00 | 0,00E+00 |
| RWD | kg | 7,04E-04 | 2,70E-06 | 2,91E-05 | 0,00E+00 | 7,94E-07 | 0,00E+00 | 5,75E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 2,09E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 42: MAPEPLAN T Af BROOF T2 – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,38E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

TABLE 43: MAPEPLAN T I – ENVIRONMENTAL CATEGORIES

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|------------------------------------|---|-----------|-----------|----------|----------|-----------|----------|-----------|----------|
| GWP_{TOTAL} | (kg CO ₂ eq.) | 3,80E+00 | 1,30E-01 | 2,01E-01 | 0,00E+00 | 2,09E-02 | 0,00E+00 | 2,56E-02 | 0,00E+00 |
| GWP _{FOSSIL} | (kg CO ₂ eq.) | 3,81E+00 | 1,30E-01 | 1,30E-02 | 0,00E+00 | 2,07E-02 | 0,00E+00 | 2,63E-02 | 0,00E+00 |
| GWP _{BIOGENIC} | (kg CO ₂ eq.) | -1,58E-02 | -1,34E-04 | 1,88E-01 | 0,00E+00 | -2,49E-05 | 0,00E+00 | -7,65E-04 | 0,00E+00 |
| GWP _{LULUC} | (kg CO ₂ eq.) | 2,15E-03 | 9,68E-04 | 1,34E-05 | 0,00E+00 | 1,71E-04 | 0,00E+00 | 7,73E-05 | 0,00E+00 |
| ODP | (kg CFC 11 eq.) | 9,80E-08 | 1,64E-17 | 1,35E-16 | 0,00E+00 | 4,13E-18 | 0,00E+00 | 1,02E-16 | 0,00E+00 |
| AP | (mol H ⁺ eq.) | 1,23E-02 | 1,16E-03 | 5,28E-05 | 0,00E+00 | 1,13E-04 | 0,00E+00 | 1,87E-04 | 0,00E+00 |
| EP _{FRESHWATER} | (kg P eq.) | 1,59E-04 | 3,54E-07 | 6,53E-07 | 0,00E+00 | 6,21E-08 | 0,00E+00 | 4,42E-08 | 0,00E+00 |
| EP _{FRESHWATER} | (kg (PO ₄) ³⁻ eq.) | 4,89E-04 | 1,09E-06 | 2,00E-06 | 0,00E+00 | 1,91E-07 | 0,00E+00 | 1,36E-07 | 0,00E+00 |
| EP _{MARINE} | (kg N eq.) | 2,32E-03 | 4,51E-04 | 2,37E-05 | 0,00E+00 | 5,49E-05 | 0,00E+00 | 4,87E-05 | 0,00E+00 |
| EP _{TERRESTRIAL} | (mol N eq.) | 2,48E-02 | 4,98E-03 | 1,84E-04 | 0,00E+00 | 6,08E-04 | 0,00E+00 | 5,35E-04 | 0,00E+00 |
| POCP | (kg NMVOC eq.) | 1,13E-02 | 9,78E-04 | 1,03E-04 | 0,00E+00 | 1,07E-04 | 0,00E+00 | 1,47E-04 | 0,00E+00 |
| ADP _{MINERALS&METALS} | (kg Sb eq.) | 7,35E-06 | 9,38E-09 | 1,96E-09 | 0,00E+00 | 1,85E-09 | 0,00E+00 | 2,48E-09 | 0,00E+00 |
| ADP _{FOSSIL} | (MJ) | 9,88E+01 | 1,73E+00 | 2,00E-01 | 0,00E+00 | 2,78E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| WDP | (m ³ world eq.) | 1,11E+00 | 1,05E-03 | 1,45E-03 | 0,00E+00 | 1,94E-04 | 0,00E+00 | 2,83E-03 | 0,00E+00 |

GWP_{TOTAL}: Global Warming Potential total; **GWP_{FOSSIL}**: Global Warming Potential fossil fuels; **GWP_{BIOGENIC}**: Global Warming Potential biogenic; **GWP_{LULUC}**: Global Warming Potential land use and land use change; **ODP**: Depletion Potential of the stratospheric Ozone layer; **AP**: Acidification Potential; **EP_{FRESHWATER}**: Eutrophication Potential, freshwater; **EP_{MARINE}**: Eutrophication Potential, marine; **EP_{TERRESTRIAL}**: Eutrophication Potential, terrestrial; **POCP**: Formation potential of tropospheric ozone; **ADP_{MINERALS&METALS}**: Abiotic Depletion Potential for non-fossil resources; **ADP_{FOSSIL}**: Abiotic Depletion Potential for fossil resources; **WDP**: Water Deprivation Potential.

TABLE 44: MAPEPLAN T I – ADDITIONAL ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| GWP-GHG | (kg CO ₂ eq.) | 3,64E+00 | 1,28E-01 | 1,21E-01 | 0,00E+00 | 2,05E-02 | 0,00E+00 | 2,59E-02 | 0,00E+00 |

GWP-GHG: The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

TABLE 45: MAPEPLAN T I – OTHER ENVIRONMENTAL INDICATORS

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| PERE | MJ | 2,39E+00 | 8,83E-02 | 4,80E-02 | 0,00E+00 | 1,60E-02 | 0,00E+00 | 4,70E-02 | 0,00E+00 |
| PERM | MJ | 1,89E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 4,29E+00 | 8,83E-02 | 4,80E-02 | 0,00E+00 | 1,60E-02 | 0,00E+00 | 4,70E-02 | 0,00E+00 |
| PENRE | MJ | 9,86E+01 | 1,73E+00 | 2,00E-01 | 0,00E+00 | 2,79E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| PENRM | MJ | 1,43E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 9,88E+01 | 1,73E+00 | 2,00E-01 | 0,00E+00 | 2,79E-01 | 0,00E+00 | 3,49E-01 | 0,00E+00 |
| SM | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m3 | 2,67E-02 | 1,01E-04 | 5,77E-05 | 0,00E+00 | 1,83E-05 | 0,00E+00 | 8,62E-05 | 0,00E+00 |

PERE: Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM:** Use of renewable primary energy resources used as raw materials; **PERT:** Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials); **PENRE:** Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM:** Use of non-renewable primary energy resources used as raw materials; **PENRT:** Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials); **SM:** Use of secondary material; **RSF:** Use of renewable secondary fuels; **NRSF:** Use of non-renewable secondary fuels; **FW:** Net use of fresh water.

Table 46: Mapeplan T I – Waste production and output flows

| Indicator | Unit | A1-A3 | A4 | A5 | C1 | C2 | C3 | C4 | D |
|-------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|
| HWD | kg | 2,39E-03 | 8,06E-11 | 4,32E-11 | 0,00E+00 | 1,47E-11 | 0,00E+00 | 3,71E-11 | 0,00E+00 |
| NHWD | kg | 1,81E-02 | 2,49E-04 | 7,43E-02 | 0,00E+00 | 4,38E-05 | 0,00E+00 | 1,74E+00 | 0,00E+00 |
| RWD | kg | 4,58E-04 | 2,08E-06 | 1,42E-05 | 0,00E+00 | 5,07E-07 | 0,00E+00 | 3,67E-06 | 0,00E+00 |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 1,44E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

HWD: Hazardous waste disposed; **NHWD:** Non-Hazardous waste disposed; **RWD:** Radioactive waste disposed

TABLE 47: MAPEPLAN T I – INFORMATION ON BIOGENIC CARBON CONTENT AT THE FACTORY GATE REFERRED

| Indicator | Unit | Quantity |
|--------------------------------------|------|----------|
| Biogenic Carbon Content in packaging | kg C | 4,37E-02 |
| Biogenic carbon content in product | kg C | 0,00E+00 |

To calculate results for different thicknesses (1,2, 1,8, 2,0 and 2,5 mm), please use following multiplicative coefficients for the environmental indicators considered (El_x):

TABLE 48: CALCULATION RULES FOR ENVIRONMENTAL CATEGORIES OF DIFFERENT THICKNESS

| | 1,2 mm thickness | 1,5 mm thickness | 1,8 mm thickness | 2,0 mm thickness | 2,5 mm thickness |
|--------------------------|---------------------------------|------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Mapeplan T M (E) | El _{1,5} * 0,81 | El _{1,5} * 1 | El _{1,5} * 1,18 | El _{1,5} * 1,36 | El _{1,5} * 1,72 |
| Mapeplan T M Broof t1 | El _{1,5} * 0,80 | El _{1,5} * 1 | El _{1,5} * 1,20 | El _{1,5} * 1,33 | El _{1,5} * 1,72 |
| Mapeplan T M Broof t2-t3 | - | - | El _{2,0} * 0,9 | El _{2,0} * 1 | El _{2,0} * 1,25 |
| Mapeplan T B | - | El _{1,5} * 1 | El _{1,5} * 1,20 | El _{1,5} * 1,33 | - |
| Mapeplan T Af | - | El _{1,5} * 1 | El _{1,5} * 1,25 | El _{1,5} * 1,38 | - |
| Mapeplan T Af Broof t1 | - | El _{1,5} * 1 | El _{1,5} * 1,30 | El _{1,5} * 1,46 | - |
| Mapeplan T Af Broof t2 | - | - | El _{1,8} * 1 | El _{1,8} * 1,13 | - |
| Mapeplan T I | - | El _{1,5} * 1 | El _{1,5} * 1,20 | El _{1,5} * 1,33 | El _{1,5} * 1,67 |

El_x: Environmental Indicator for Mapeplan with x mm thickness

Tables above show absolute results for each of environmental impact categories. They clearly indicate that product stage (A1 – A3) has the highest




FIGURE 5: SHOWS THE HOT AIR WELDING OF MAPEPLAN T BY AN AUTOMATIC MACHINE (REF. LEISTER VARIMAT V2)

contribution for each of them and accounts for up to 99% of the total impact in the whole system boundary.

All environmental impacts show a decreasing of about 20% if compared with the old data calculated in the past years; this environmental benefit is mainly due to some changes in the formulation.

materials, which are some of the main components in Mapeplan T formulations, and adhesive used for installation (where needed), carry a significant impact for all environmental categories.

In particular, FPO/TPO compounds, reinforcing materials, which are some of the main components in Mapeplan T formulations, and adhesive used for installation (where needed), carry a significant impact for all environmental categories.




FIGURE 6: SHOWS THE MAPEPLAN T INSTALLED ON GREEN ROOF WITH SOIL BALLAST

In terms of GWP, module A5 gives a not negligible contribution, considering that during the installation phase it's necessary to take into account a membrane overlap between 5% and 6%. A fundamental contribution in terms of GWP_{biogenic}, is given by the packaging components.

Transportation modules (A2, A4, C2) have relevant importance in terms of GWP_{luluc}, while the contribution became less relevant in the other environmental categories.

Following table shows the relative contributes for all environmental categories considered in this EPD for the different products.

TABLE 49: ENVIRONMENTAL IMPACT AS PERCENTAGE OF MAPEPLAN FPO/TPO



More details about electrical mix used in this EPD is shown below:

| | Data source | Amount | Unit |
|---|-------------|--------|-----------------------------|
| Residual electricity grid mix (IT) – 2019 | AIB | 0,531* | kg CO ₂ -eqv/kWh |

*CML2001 – Apr. 2013

8. Data Quality

TABLE 50: DATA QUALITY

| Dataset & Geographical reference | Database (source) | Temporary reference |
|---|---------------------------------|---------------------|
| A1 | | |
| TPO compounds | Sphera & Ecoinvent 3.6 Database | 2020 |
| PUR Adhesive (EU – FEICA) | EPD-FEI-20150252-IBG1-EN | 2015 |
| Reinforcing materials | Sphera Database | 2020 |
| Additives | Sphera & Ecoinvent Database 3.6 | 2020 |
| Residual electricity grid mix (IT) | AIB | 2019 |
| A2 (Transport) | | |
| Truck transport (27 ton payload – GLO) | Sphera Database | 2020 |
| Diesel for transport (EU) | Sphera Database | 2017 |
| A3 (production) | | |
| Packaging (EU) | Sphera Database & PlasticEurope | 2005 – 2013 |
| Diesel mix (EU) | Sphera Database | 2017 |
| Wastewater treatment (EU) | Sphera Database | 2020 |
| A4 (Transport) | | |
| Truck transport (27ton payload – GLO) | Sphera Database | 2020 |
| Diesel for transport (EU) | Sphera Database | 2017 |
| Ocean ship (27500 DWT payload – GLO) | Sphera Database | 2020 |
| Heavy fuel oil for ship transport (EU) | Sphera Database | 2017 |
| A5 (Installation) | | |
| Electricity grid mix (EU) | Sphera Database | 2017 |
| Landfill for plastic waste (EU) | Sphera Database | 2020 |
| Landfill for wood waste (EU) | Sphera Database | 2020 |
| Landfill for paper waste (EU) | Sphera Database | 2020 |
| Landfill for metal waste (EU) | Sphera Database | 2020 |
| C1-C4 (End of Life) | | |
| Truck transport (9,3 ton payload – GLO) | Sphera Database | 2020 |
| Diesel for transport (EU) | Sphera Database | 2017 |
| Construction waste dumping (EU) | Sphera Database | 2020 |
| Construction waste treatment (EU) | Sphera Database | 2020 |

All data included in table above refer to a period between 2005 and 2020; the most relevant ones are specific from supplier, while the others (i.e. transport and minor contribution dataset), come from European and global databases.

All dataset are not more than 10 years old according to EN 15804 §6.3.8.2 “Data quality requirements”. The only exception is represented by one raw material used for one packaging component production.

Primary data concern the year 2020 and represent the whole annual production.

The Quality level concerning datasets used in the EPD can be considered as “very good” or “good” according to Annex E of the EN 15804 (current version); the only exception is represented by a packaging component which has a quality level classified as “poor” in terms of time representativeness.

9. Differences versus previous versions

Results in the tables include in the chapter 7, shows the differences between the current EPD and the previous version. A1-A3 modules GWP-GHG indicator from current EPD is chosen for the comparison, due to the correspondence with the previous EPD GWP indicator (calculated according to the superseded EN 15804+A1 method).

Current EPD values are found to be generally lower, mainly due to the database update from Ecoinvent 3.3 to Ecoinvent 3.6, changes in formulations and new primary data.

10. Verification and Registration

The EPD owner has the sole ownership, liability, and responsibility for the EPD.




EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.

| | |
|--|---|
| CEN standard EN15804 served as the Core Product Category Rules (PCR) | |
| PCR: | PCR 2019:14 Construction products (EN 15804:A2), Version 1.11, 2021-02-05, UN CPC code 54 |
| PCR review was conducted by: | The Technical Committee of the International EPD® System. See www.environdec.com/TC for a list of members. Review chair: Claudia A. Peña, University of Concepción, Chile. The review panel may be contacted via the Secretariat www.environdec.com/contact . |
| Independent third-party verification of the declaration and data, according to ISO 14025:2006: | <input checked="" type="checkbox"/> EPD Process Certification <input type="checkbox"/> EPD Verification |
| Third party verifier: | Certiquality S.r.l. Number of accreditations: 003H rev15 |
| Accredited or approved by: | Accredia |
| Procedure for follow-up of data during EPD validity involves third-party verifier | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |

11. References

- EN 13956: FLEXIBLE SHEETS FOR WATERPROOFING - PLASTIC AND RUBBER SHEETS FOR ROOF WATERPROOFING - DEFINITIONS AND CHARACTERISTICS
- EN 15804: SUSTAINABILITY OF CONSTRUCTION WORKS - ENVIRONMENTAL PRODUCT DECLARATIONS - CORE RULES FOR THE PRODUCT CATEGORY OF CONSTRUCTION PRODUCTS
- EUROPEAN RESIDUAL MIXES VERSION 1.1, 2020-09-08 (AIB: ASSOCIATION OF ISSUING BODIES)
- GENERAL PROGRAMME INSTRUCTIONS OF THE INTERNATIONAL EPD® SYSTEM. VERSION 3.01
- ISO 14025 ENVIRONMENTAL LABELS AND DECLARATIONS - TYPE III ENVIRONMENTAL DECLARATIONS - PRINCIPLES AND PROCEDURES
- ISO 14044 ENVIRONMENTAL MANAGEMENT – LIFE CYCLE ASSESSMENT – REQUIREMENTS AND GUIDELINES
- PCR 2019:14 CONSTRUCTION PRODUCTS (EN 15804: A2), UN CPC CODE 54; VERSION 1.11

Contact information

| | |
|----------------------------|---|
| <p>EPD owner:</p> |  <p>Polyglass SpA www.polyglass.com</p> |
| <p>LCA author:</p> |  <p>ADHESIVES • SEALANTS • CHEMICAL PRODUCTS FOR BUILDING</p> <p>Mapei SpA www.mapei.it; Environmental Sustainability Office</p> |
| <p>Programme operator:</p> |  <p>The International EPD® System Address: EPD International AB Box 210 60 SE-100 31 Stockholm Sweden</p> <p>Website: www.environdec.com E-mail: info@environdec.com</p> |